

ACCU-LABS INC.

4831 S. Whipple Avenue
Chicago IL 60632
Phone: 773.523.3100 Fax: 773.523.4008
www.accu-labs.com

A2LA Accredited ISO/IEC 17025:2005 Certificate # 2558.01

ASB-60

LIQUID CLEANER FOR ALUMINUM

Accu-Labs ASB-60 is a mildly acidic, silicate-free, liquid aluminum cleaner specifically formulated for buffing compound removal. It also removes stamping and forming oils, finger marks, most marking inks and shop soils from a broad variety of aluminum alloys. Accu-Labs ASB-60 will not darken or stain aluminum substrates.

FEATURES

- Special acidic formulation produces cleaner and brighter parts.
- No white silicate residues left on parts.
- Free rinsing-leaves no dulling film even in hard water.
- Long tank life lowers waste treatment and chemical costs.
- Eliminates hand wiping in buffing compound removal.
- Biodegradable, easily disposable, nonflammable formulation
- Suitable for use in liquid metering equipment.

EQUIPMENT

Tanks: 304 Or 316 Stainless Steel, Reinforced Polypropylene
Heating Elements: 304 Or 316 Stainless Steel, PTFE

MAKE-UP

1. Fill tank 2/3 full with water.
2. Slowly add required amount of ASB-60.
3. Add water to bring solution to working level and mix thoroughly without splattering solution.
4. Heat to operating temperature.

OPERATING GUIDELINES

Accu-Labs ASB-60	10-20% by Volume
Solution Temperatures	160-180°F (71-82° C)
Immersion Time	5-15 minutes*

*For most applications, a 5 minute soak followed by a 30 second rinse provides satisfactory cleaning and brightening. Repeat this procedure to remove the more stubborn marking inks and buffing compounds. Agitation is beneficial.

ANALYSIS

Accu-Labs ASB-60 Titration Analysis:

- Pipette 10 ml cooled sample of working solution into 250 ml Erlenmeyer flask.
- Add 2 to 4 drops of phenolphthalein indicator.
- Titrate with 0.1N sodium hydroxide to pink endpoint.

Calculation: % by volume ASB-60 = ml 0.1N sodium hydroxide x 2.9

SAFETY

Accu-Labs ASB-60 solutions are acidic solutions, read and review the Material Safety Data Sheets for the appropriate health and safety warnings before use. Use protective gear to avoid any contact when working with or around this product.

DISCLAIMER

The information contained in this bulletin is, to the best of our knowledge, true and accurate. Since conditions of use are beyond our control, all recommendations are made without guarantee. Accu-Labs, Inc. disclaims any and all liability arising from the use of this product or the information contained herein.