

ACCU-LABS INC.

4831 S. Whipple Avenue
Chicago IL 60632
Phone: 773.523.3100 Fax: 773.523.4008
www.accu-labs.com

A2LA Accredited ISO/IEC 17025:2005 Certificate # 2558.01

380 HEAVY DUTY ALKALINE SOAK-ELECTRO-DERUSTER

INTRODUCTION: ACCU-LABS 380 HEAVY DUTY ALKALINE DERUSTER was specifically developed to remove rust and heat treating scale from ferrous metals by immersion. ACCU-LABS 380 can also be used cold with PERIODIC REVERSE current to remove rust and scale from steel and stainless steel. ACCU-LABS 380 can also be used to remove phosphate coatings from steel and also can remove white scale from phosphating tanks. ACCU-LABS 380 is a cyanide free, scientifically balanced blend of highly alkaline detergents, surfactants, dispersants and organic chelates.

SOAK CLEANING GUIDELINES:

CONCENTRATION:	1 – 3 lb per gallon of water
TEMPERATURE RANGE:	Room to rolling boil.
TANK:	Mild Steel.

PERIODIC REVERSE CURRENT GUIDELINES:

CONCENTRATION:	1 – 3 lb per gallon of water
TEMPERATURE:	Room to rolling boil.
VOLTAGE:	6 – 9 volts.
TANK:	Mild Steel.
ELECTRODES:	Carbon Anodes.

REMOVAL OF DIFFICULT SCALE GUIDELINES:

CONCENTRATION: 3 lb per gallon of water plus 8-16 ounces per gallon sodium cyanide.

TEMPERATURE: 130° - 140°F

ADDITIONAL APPLICATIONS

ACCU-LABS 380 can be used to burnish steel in a tumbling barrel, activate nickel using direct current and to strip brass plate from steel in soak or by reverse current.

ANALYTICAL PROCEDURE

1. Pipette a 5 ml. sample into a 250 ml. flask.
2. Add 50 ml. of DI water and 2 – 4 drops of phenolphthalein indicator solution.
3. Titrate with 1N hydrochloric acid to a pink to clear end point.

CALCULATION

MLS of acid x 1.5 = oz/gal ACCU-LABS 380.

CAUTION

ACCU-LABS 380 is highly alkaline. Avoid contact with skin and eyes. Protect eyes and skin when handling solutions of ACCU-LABS 380. Wear goggles and protective clothing. Read MSDS prior to using.

DISCLAIMER

The information contained on this sheet is true and accurate to the best of our knowledge. Because use and conditions are beyond our control, no guarantee is expressed or implied for the above suggestions or recommendations. Accu-Labs, Inc. will not incur any liability in connection with the use of these suggestions and/or technical data.