

Accu-LABS INC.

4831 S. Whipple Avenue
Chicago IL 60632
Phone: 773.523.3100 Fax: 773.523.4008
www.accu-labs.com

A2LA Accredited ISO/IEC 17025:2005 Certificate # 2558.01

ACCU-SHED 2

Accu-Shed 2 is an aqueous liquid blend of chemical additives designed to rapidly dry parts by water displacement. Parts should be immersed in a mildly acidic rinse prior to the use of Accu-Shed 2. This is done to remove any alkaline film remaining on the parts. Failure to remove the alkaline film may decrease the effectiveness of Accu-Shed 2 to remove water from the parts. The parts are dipped into a solution of Accu-Shed 2 and then rinsed in warm to hot water (120-190° F). As the parts are removed from the hot water rinse, the water is immediately displaced, leaving the parts virtually dry.

BENEFITS:

1. Simple to use.
2. Non-hazardous, RoHS compliant; contains no heavy metals, organic solvents or flammable liquids.
3. Works well in soft and hard water area.
4. Can be used on most metals, leaving a clear dry surface.

OPERATING GUIDELINES:

Concentration:	2-10% by volume depending on application; 4% is typical for most applications.
Temperature:	70-100°F
Equipment:	PVC – Polyethylene Stainless Steel
Time:	10-60 seconds

